ELSEVIER

Signal Processing 62 (1997) 369–370

SIGNAL PROCESSING

Author index of Volume 62

(The issue number is given in front of the page numbers)

Acha, J.I. and **R. Martín-Clemente,** Design of log FIR filters (2) 243–246
Agrawal, M., S. Prasad and **S.C. Dutta Roy,** Improved FIR filters for discrimination of damped sinusoids (2) 237–241
Alkulaibi, A. and **J.J. Soraghan,** Hybrid higher-order cepstrum and functional link network-based blind equaliser (HOCFLN) (1) 101–109
Antoine, J.-P., D. Barache, R.M. Cesar Jr. and **L. da Fontoura Costa,** Shape characterization with the wavelet transform (3) 265–290
Aoyama, T., *see* **J. Bae** (1) 111–112
Atici, A.A. and **F.T. Yarman-Vural,** A heuristic algorithm for optical character recognition of Arabic script (1) 87–99

Bae, J., I. Song, H. Morikawa and T. Aoyama, Erratum to "Nonparametric detection of known signals based on ranks in multiplicative noise", Signal Processing 60 (2) 255–261 (1) 111–112
Bae, J., I. Song and **H.-M. Kim,** On rank-based nonparametric detection of composite signals in purely-additive noise (2) 257–264
Barache, D., *see* **J.-P. Antoine** (3) 265–290
Bhattacharya, S., N.C. Ray and **S. Sinha,** 2-D signal modelling and reconstruction using third-order cumulants (1) 61–72
Boashash, B., *see* **S. Kasaei** (3) 361–366

Casas, J.R., *see* **L. Torres** (3) 291–301
Cesar Jr., R.M., *see* **J.-P. Antoine** (3) 265–290
Chatterjee, N., P. Pal and **J. Das,** Boundary extraction of sodar images (2) 229–235
Chen, C.-K., A method for synthesizing multiplierless FIR digital filters with narrow transformation widths (3) 351–360
Chung, K.-L. and **Y.-K. Lin,** A novel memory-efficient Huffman decoding algorithm and its implementation (2) 207–213
Crespo, J., R.W. Schafer and **J. Serra,** The flat zone approach: A general low-level region merging segmentation method (1) 37–60

da Fontoura Costa, L., *see* **J.-P. Antoine** (3) 265–290
Das, J., *see* **N. Chatterjee** (2) 229–235
Deriche, M., *see* **S. Kasaei** (3) 361–366
Dutta Roy, S.C., *see* **M. Agrawal** (2) 237–241

Feng, J. and **W.-S. Gan,** A broadband self-tuning active noise equaliser (2) 251–256

Gan, W.-S., see **J. Feng** (2) 251–256

Han, D.-S., VLSI architectures for CFAR detectors based on order statistics (1) 73–86
Händel, P. and **P. Tichavský,** Asymptotic noise gain of polynomial predictors (2) 247–250
Herique, A., Optimal windows for step frequency radar (3) 335–349
Hua, Y., *see* **H.H. Yang** (2) 187–205

Jun B.-E. and **D.-J. Park,** Performance analysis of sign-sign algorithm for transversal adaptive filters (3) 323–333
Jutten, C., *see* **H.-L. Nguyen Thi** (2) 163–171

Kasaei, S., M. Deriche and **B. Boashash,** An efficient quantization technique for wavelet coefficients of fingerprint images (3) 361–366
Kim, H.-M., *see* **J. Bae** (2) 257–264

Li, J., *see* **Z.-S. Liu** (3) 311–321
Lin, Y.-K., *see* **K.-L. Chung** (2) 207–213
Liu, Z.-S., J. Li and **P. Stoica,** RELAX-based estimation of damped sinusoidal signal parameters (3) 311–321

Martín-Clemente, R., *see* **J.I. Acha** (2) 243–246
Morikawa, H., *see* **J. Bae** (1) 111–112

NaNacara, W. and **E.E. Yaz,** Recursive estimator for linear and nonlinear systems with uncertain observations (2) 215–228
Narayana Dutt, D., *see* **P.K. Sadasivan** (2) 173–186
Nguyen Thi, H.-L., S. Van Gerven, C. Jutten and **D. Van Compernolle,** Stability study for source separation in convolutive mixtures of two sources (2) 163–171

Pal, P., *see* **N. Chatterjee** (2) 229–235
Park D.-J., *see* **B.-E. Jun** (3) 323–333
Prasad, S., *see* **M. Agrawal** (2) 237–241

Ray, N.C., *see* **S. Bhattacharya** (1) 61–72

Elsevier Science B.V.

Sadasivan, P.K. and **D. Narayana Dutt**, Development of Newton-type adaptive algorithm for minimization of EOG artefacts from noisy EEG signals (2) 173–186
Schafer, R.W., *see* **J. Crespo** (1) 37–60
Sebastiani, G. and **S. Stramaglia**, A Bayesian approach for the median filter in image processing (3) 303–309
Serra, J., *see* **J. Crespo** (1) 37–60
Sinha, S., *see* **S. Bhattacharya** (1) 61–72
Song, I., *see* **J. Bae** (1) 111–112
Song, I., *see* **J. Bae** (2) 257–264
Soraghan, J.J., *see* **A. Alkulaibi** (1) 101–109
Stoica, P., *see* **Z.-S. Liu** (3) 311–321
Stramaglia, S., *see* **G. Sebastiani** (3) 303–309
Strintzis, M.G., Optimal construction of filter banks for subband coding of quantised signals (1) 15–36

Tichavský, P., *see* **P. Händel** (2) 247–250
Torres, L. and **J.R. Casas**, Stochastic vector quantization of images (3) 291–301
Tourneret, J.-Y., Normality of a non-linear transformation of AR parameters: Application to reflection and cepstrum coefficients (1) 1–14

Van Compernolle, D., *see* **H.-L. Nguyen Thi** (2) 163–171
Van Gerven, S., *see* **H.-L. Nguyen Thi** (2) 163–171

Wigren, T., Avoiding ill-convergence of finite dimensional blind adaptation schemes excited by discrete symbol sequences (2) 121–162

Yang, H.H. and **Y. Hua**, On performance of cross-relation method for blind-channel identification (2) 187–205
Yarman-Vural, F.T., *see* **A.A. Atici** (1) 87–99
Yaz, E.E., *see* **W. NaNacara** (2) 215–228